INDEX OF AUTHORS — VOLUME 8

A

AHMED, M. M. and LING, E. A. The antecubital organ of the primate slow loris (*Nycticebus coucang coucang*), 335
ALDRICH, H. C. *See* COLEMAN, ALDRICH and HACKETT, 369
ANDERSON, O. R. Ultrastructure of a colonial radiolarian *Collozoum inerme* and a cytochemical determination of the role of its zooanthellae, 195
ARLUISON, M. and DUCROS, C. Localization of monoamine nerve fibres by formaldehyde fluorescence histochemistry in the posterior salivary duct and gland of *Octopus vulgaris*, 61

B

BACCETTI, B., DALLAI, R., BURRINE, A. G. and SELMI, G. Fine structure of the spermatozoon of an Onychophoran *Peripatopsis*, 659
BARADI, A. F. and RAO, S. N. A scanning electron microscope study of mouse peritoneal mesothelium, 159
BEATTIE, T. M. Autolysis in axon terminals of a new neurohaemal organ in the cockroach, *Periplaneta americana*, 305
BOCK, W. J. *See* HIKIDA and BOCK, 259
BRADBURY, P. C. and GOYAL, V. The fine structure of a parasitic ciliate *Terebrospira* during ingestion of the exoskeleton of a shrimp *Palaemonetes*, 573
BREININ, G. M. *See* PACHTER, DAVIDOWITZ and BREININ, 547
BRIGHTMAN, M. W. *See* PRESCOTT and BRIGHTMAN, 241
BURGESS, D. R. Structure of the epithelial–mesenchymal interface during early morphogenesis of the chick duodenum, 147
BURIGHEL, P. *See* SCHIAFFINO, NUNZI and BURIGHEL, 101
BURRINI, A. G. *See* BACCETTI, DALLAI, BURRINI and SELMI, 659

C

CHIU, A. *See* RYAN, RYAN, WHITAKER and CHIU, 125
CHUNG, A. *See* RYAN, DAY, SCHULTZ, RYAN, CHUNG, MARLBOROUGH and DORER, 111
COLEMAN, S. E., ALDRICH, H. C. and HACKETT, R. L. Tridimensional ultrastructure of freeze-fractured rat kidney cortex (studied in stereo), 369

D

DALLAI, R. *See* BACCETTI, DALLAI, BURRINI and SELMI, 659
DARDICK, I., SETTERFIELD, G. and WAINWRIGHT, L. K. Cellular composition of erythropoietic cell populations and aggregate cell cultures derived from early chick blastodiscs, 277
—, POZNANSKI, E. J., WAHEED, I. and SETTERFIELD, G. Ultrastructural observations on differentiating human preadipocytes cultured *in vitro*, 561
DAVEY, K. G. *See* GOH and DAVEY, 421
DAVIDOWITZ, J. *See* PACHTER, DAVIDOWITZ and BREININ, 547
DAY, A. R. *See* RYAN, DAY, SCHULTZ, RYAN, CHUNG, MARLBOROUGH and DORER, 111
DORER, F. E. *See* RYAN, DAY, SCHULTZ, RYAN, CHUNG, MARLBOROUGH and DORER, 111
DUCROS, C. *See* ARLUISON and DUCROS, 61

E

EMERY, D. G. Observations on the olfactory organ of adult and juvenile *Octopus joubini*, 33
ERMAK, T. H. Renewal of the gonads in *Styela clava* (Urochordata : Ascidiacea) as revealed by autoradiography with tritiated thymidine, 471
ERWIN, J. A. *See* LO, JASPER and ERWIN, 19

F

FAHRENBACH, W. H. The brain of the horseshoe crab (*Limulus polyphemus*) I. Neuroglia, 395
FELDMAN-MUHSAM, B. and FILSHIE, B. K. Scanning and transmission electron microscopy of the spermophores of *Ornithodoros* ticks: An attempt to explain their motility, 411
FILSHIE, B. K. *See* FELDMAN-MUHSAM and FILSHIE, 411

G

GAGNE, H. T. *See* GRAZIADEI and GAGNE, 229
GAS, N. *See* NOAILLAC-DEPEYRE and GAS 511
GILBERT, L. I. *See* SEDLAK and GILBERT, 637, 649
GOEL, S. C. *See* JURAND and GOEL, 389
GOH, S. L. and DAVEY, K. G. Selective uptake of noradrenaline, dopa, and 5-hydroxytryptamine by the nervous system of *Phocanema decipiens* (Nematoda): A light autoradiographic and ultrastructural study, 421

INDEX OF AUTHORS — VOLUME 8

A

AHMED, M. M. and LING, E. A. The antecubital organ of the primate slow loris (*Nycticebus coucang coucang*), 335
ALDRICH, H. C. *See* COLEMAN, ALDRICH and HACKETT, 369
ANDERSON, O. R. Ultrastructure of a colonial radiolarian *Collozoum inerme* and a cytochemical determination of the role of its zooanthellae, 195
ARLUISON, M. and DUCROS, C. Localization of monoamine nerve fibres by formaldehyde fluorescence histochemistry in the posterior salivary duct and gland of *Octopus vulgaris*, 61

B

BACCETTI, B., DALLAI, R., BURRINE, A. G. and SELMI, G. Fine structure of the spermatozoon of an Onychophoran *Peripatopsis*, 659
BARADI, A. F. and RAO, S. N. A scanning electron microscope study of mouse peritoneal mesothelium, 159
BEATTIE, T. M. Autolysis in axon terminals of a new neurohaemal organ in the cockroach, *Periplaneta americana*, 305
BOCK, W. J. *See* HIKIDA and BOCK, 259
BRADBURY, P. C. and GOYAL, V. The fine structure of a parasitic ciliate *Terebrospira* during ingestion of the exoskeleton of a shrimp *Palaemonetes*, 573
BREININ, G. M. *See* PACHTER, DAVIDOWITZ and BREININ, 547
BRIGHTMAN, M. W. *See* PRESCOTT and BRIGHTMAN, 241
BURGESS, D. R. Structure of the epithelial–mesenchymal interface during early morphogenesis of the chick duodenum, 147
BURIGHEL, P. *See* SCHIAFFINO, NUNZI and BURIGHEL, 101
BURRINI, A. G. *See* BACCETTI, DALLAI, BURRINI and SELMI, 659

C

CHIU, A. *See* RYAN, RYAN, WHITAKER and CHIU, 125
CHUNG, A. *See* RYAN, DAY, SCHULTZ, RYAN, CHUNG, MARLBOROUGH and DORER, 111
COLEMAN, S. E., ALDRICH, H. C. and HACKETT, R. L. Tridimensional ultrastructure of freeze-fractured rat kidney cortex (studied in stereo), 369

D

DALLAI, R. *See* BACCETTI, DALLAI, BURRINI and SELMI, 659
DARDICK, I., SETTERFIELD, G. and WAINWRIGHT, L. K. Cellular composition of erythropoietic cell populations and aggregate cell cultures derived from early chick blastodiscs, 277
—, POZNANSKI, E. J., WAHEED, I. and SETTERFIELD, G. Ultrastructural observations on differentiating human preadipocytes cultured *in vitro*, 561
DAVEY, K. G. *See* GOH and DAVEY, 421
DAVIDOWITZ, J. *See* PACHTER, DAVIDOWITZ and BREININ, 547
DAY, A. R. *See* RYAN, DAY, SCHULTZ, RYAN, CHUNG, MARLBOROUGH and DORER, 111
DORER, F. E. *See* RYAN, DAY, SCHULTZ, RYAN, CHUNG, MARLBOROUGH and DORER, 111
DUCROS, C. *See* ARLUISON and DUCROS, 61

E

EMERY, D. G. Observations on the olfactory organ of adult and juvenile *Octopus joubini*, 33
ERMAK, T. H. Renewal of the gonads in *Styela clava* (Urochordata : Ascidiacea) as revealed by autoradiography with tritiated thymidine, 471
ERWIN, J. A. *See* LO, JASPER and ERWIN, 19

F

FAHRENBACH, W. H. The brain of the horseshoe crab (*Limulus polyphemus*) I. Neuroglia, 395
FELDMAN-MUHSAM, B. and FILSHIE, B. K. Scanning and transmission electron microscopy of the spermophores of *Ornithodoros* ticks: An attempt to explain their motility, 411
FILSHIE, B. K. *See* FELDMAN-MUHSAM and FILSHIE, 411

G

GAGNE, H. T. *See* GRAZIADEI and GAGNE, 229
GAS, N. *See* NOAILLAC-DEPEYRE and GAS 511
GILBERT, L. I. *See* SEDLAK and GILBERT, 637, 649
GOEL, S. C. *See* JURAND and GOEL, 389
GOH, S. L. and DAVEY, K. G. Selective uptake of noradrenaline, dopa, and 5-hydroxytryptamine by the nervous system of *Phocanema decipiens* (Nematoda): A light autoradiographic and ultrastructural study, 421

GOYAL, V. *See* BRADBURY and GOYAL, 573
GRAZIADEI, P. P. C. and GAGNE, H. T. An unusual receptor in the octopus. 229

H

HACKETT, *See* COLEMAN, ALDRICH and HACKETT, 369
HALL, T. A. *See* SOHAL, PETERS and HALL, 447
HECKER, H. *See* RUDIN and HECKER, 459
HESS, A. The effects of 6-hydroxydopamine on the appearance of granulated vesicles in glomus cells of the rat carotid body, 381
HIKIDA, R. S. and BOCK, W. J. Analysis of the fiber types in the pigeon's metapatagialis muscle. II. Effects of denervation, 799
HOLLAND, N. D. The fine structure of the embryo during the gastrula stage of *Comanthus japonica* (Echinodermata: Crinoidea) 491
HOME, E. M. The fine structure of some carabid beetle eyes with particular reference to ciliary structures in the retinula cells, 311
HOURDRY, J. and TRUCHET, M. Aluminium localization in amphibian skin with the electron microprobe and ion microanalyzer, 175
HUIE, P. *See* LOCKE and HUIE, 739
HUNT, S. *See* KNIGHT and HUNT, 183
— *See* PRICE and HUNT, 217

I

ITAYA, S. K. Light and dark adaptational changes in the accessory eye of the shrimp, *Palaemonetes*, 583

J

JASPER, D. *See* LO, JASPER and ERWIN, 19
JUBERTHIE-JUPEAU, L. Fine structure of postgonopodial glands of *Glomeris marginata* (Myriapoda), 293
JURAND, A. and GOEL, S. C. The use of methyl green–pyronin staining after glutaraldehyde fixation and paraffin or Araldite embedding, 389

K

KAHN, R. *See* RUBIN, KAHN and PRIOR, 209
KATAOKA, S. Fine structure of the epidermis of the optic tentacle in a slug, *Limax flavus* L., 47
KENNEDY, J. R. *See* SCHULTZ and KENNEDY, 579
KNIGHT, D. P. and HUNT, S. Fine structure of the dogfish egg case; a unique collagenous material, 183
KOLIOPOULOS, J. X. *See* MARGARITIS, POLITOF and KOLIOPOULOS, 591, 603

L

LARSEN, W. J. Cell remodeling in the fat body of an insect, 73
LING, E. A. *See* AHMED and LING, 335
LO, H. K., JASPER. D. and ERWIN, J. A. Ultrastructural alterations in *Tetrahymena pyriformis* induced by growth on saturated phospholipids at 40·1°C, 19
LOCKE, M. and HUIE, P. Vertebrate golgi complexes have beads in a similar position to those found in Arthropods, 739

M

MARGARITIS, L. K., POLITOF, T. K. and KOLIOPOULOS, J. X. Quantitative and comparative ultrastructure of the vertebrate cornea. I. Urodele amphibia, 591
—, —, —. Quantitative changes and ultrastructural alterations of the cornea after exposure to ultraviolet light. II. Effects on amphibia; elucidation of desmosomal structure and basement membrane synthesis, 603
MARLBOROUGH, D. L. *See* RYAN, DAY, SCHULTZ, CHUNG, MARLBOROUGH and DORER, 111
MÜLLER, B. *See* STEINBRECHT and MÜLLER, 615

N

NOAILLAC-DEPEYRE and GAS, N. Electron microscopic study on gut epithelium of the tench (*Tinca tinca* L.) with respect to its absorbtive functions, 511
NOIROT, C. and NOIROT-TIMOTHEE, C. Fine structure of the rectum in cockroaches (*Dictyoptera*): general organization and intercellular junctions, 345
NOIROT-TIMOTHÉE, C. *See* NOIROT and NOIROT-TIMOTHÉE, 345
NUNZI, M. G. *See* SCHIAFFINO, NUNZI and BURIGHEL, 101

O

OLDFIELD, S. C. The form of the globiferous pedicellarial ossicles of the regular echinoid, *Psammechinus miliaris* Gmelin, 93

P

PACHTER, B. R., DAVIDOWITZ, J. and BREININ, G. M. Light and electron microscopic serial analysis of mouse extraocular muscle: Morphology, innervation and topographical organization of component fiber populations, 547
PELLINIEMI, L. J. Ultrastructure of the indifferent gonad in male and female pig embryos, 163
PETERS, P. D. *See* SOHAL, PETERS and HALL, 447
POLITOF, T. K. *See* MARGARITIS, POLITOF and KOLIOPOULOS, 591, 603
POZNANSKI, E. J. *See* DARDICK, POZNANSKI, WAHEED and SETTERFIELD, 561
PRESCOTT, L. and BRIGHTMAN, M. W. The sarcolemma of *Aplysia* smooth muscle in freeze-fracture preparations, 241
PRICE, N. R. and HUNT, S. An unusual type of secretory cell in the ventral pedal gland of the gastropod mollusc *Buccinum undatum* L. 217
PRIOR, J. J. *See* RUBIN, KAHN and PRIOR, 209

R

RAO, S. N. *See* BARADI and RAO, 159
RATCLIFFE, N. A. *See* ROWLEY and RATCLIFFE, 437

ROWLEY, A. F. and RATCLIFFE, N. A. The granular cells of *Galleria mellonella* during clotting and phagocytic reactions *in vitro*, 437
RUBIN, R. W., KAHN, R. and PRIOR, J. J. Changes in glycerol solubility and amino acid incorporation of a protein possessing the characteristics of tubulin during first cleavage in the sea urchin embryo, 209
RUDIN, W. and HECKER, H. Morphometric comparison of the midgut epithelial cells in male and female *Aedes aegypti* L. (Insecta, Diptera), 459
RYAN, J. W., DAY, A. R., SCHULTZ, D. R., RYAN, U. S., CHUNG, A., MARLBOROUGH, D. L., and DORER, F. E. Localization of angiotensin converting enzyme (kininase II). I. Preparation of antibody-heme-octapeptide conjugates, 111
—, *See* RYAN, RYAN, WHITAKER and CHIU, 125
RYAN, U. S., RYAN, J. W., WHITAKER, C. and CHIU, A. Localization of angiotensin converting enzyme (kininase II). II. Immunocytochemistry and immunoflourescence, 125

S

SATTLER, C. A. and STAEHELIN, L. A. Reconstruction of oral cavity of *Tetrahymena pyriformis* utilizing high voltage electron microscopy, 1
SCHIAFFINO, S., NUNZI, M. G. and BURIGHEL, P. T-system in Ascidian muscle: Organization of the sarcotubular system in the caudal muscle cells of *Botryllus schlosseri* tadpole larvae, 101
SCHMALBRUCH, H. The morphology of regeneration of skeletal muscles in the rat 673
SCHULTZ, D. R. *See* RYAN, DAY, SCHULTZ, RYAN, CHUNG, MARLBOROUGH and DORER, 111
SCHULTZ, T. W. and KENNEDY, J. R. The fine structure of the digestive system of *Daphnia pulex* (Crustacea: Cladocera), 479
SEDLAK, B. J. and GILBERT, L. I. Epidermal cell development during the pupal-adult metamorphosis of *Hyalophora cecropia*, 637
—, Effects of ecdysone and juvenile hormone on epidermal cell development in *Hyalophora cecropia*, 649
SELMI, G. *See* BACCETTI, DALLAI, BURRINI and SELMI, 659
SETTERFIELD, G. *See* DARDICK, SETTERFIELD and WAINWRIGHT, 277
—, *See* DARDICK, POZNANSKI, WAHEED and SETTERFIELD, 561
SIRE, M. F. *See* VERNIER and SIRE, 531
SOHAL, R. S., PETERS, P. D. and HALL, T. A. Fine structure and X-ray micro-analysis of mineralized concretions in the malpighian tubules of the housefly, *Musca domestica*, 447
STAEHELIN, L. A. See SATTLER and STAEHELIN, 1
STEINBRECHT, R. A. and MULLER, B. Fine structure of the antennal receptors of the bed bug, *Cimex lectularius* L., 615
STRATTON, C. J. The three-dimensional aspect of mammalian lung multilamellar bodies, 693
—, The high resolution ultrastructure of the periodicity and architecture of lipid-retained and extracted lung multilamellar body laminations, 713
—, The investigation of vinylcyclohexane dioxide as a polar dehydrant for the improved retention of lipids in the Spurr embedment, 729

T

TRUCHET, M. *See* HOURDRY and TRUCHET, 175

V

VERNIER, J. M. and SIRE, M. F. Evolution of the glycogen load and of glucose-6-phosphatase activity of *Salmo gairdneri* during development, 531

W

WAHEED, I. *See* DARDICK, POZNANSKI, WAHEED and SETTERFIELD, 561
WAINWRIGHT, L. K. *See* DARDICK, SETTERFIELD and WAINWRIGHT, 277
WHITAKER, C. *See* RYAN, WHITAKER and CHIU, 125

INDEX OF SUBJECTS VOLUME 8

A

Accessory eye, of the shrimp *Palaemonetes*, 583
Adipocytes, pre-, human, cultured *in vitro*, 561
Aedes aegypti, midgut epithelial cells of male and female, morphometric comparison of, 459
Aluminium localization, in amphibian skin, with the electron microprobe and ion microanalyser, 175
Amphibia, Urodele, quantitative and comparative ultrastructure of the cornea of, 591
—, —, quantitative changes and ultrastructural alterations of the cornea of, 603
Amphibian skin, aluminium localization in, 175
Angiotensin converting enzyme, kininase II, I. Preparation of antibody-heme-octapeptide conjugates, 111
— — — —, localization of. II. Immunocytochemistry and immunofluorescence, 125
Antecubital organ, of the slow loris (*Nycticebus coucang coucang*), 335
Antennal receptors, fine structure of, in the bed bug, *Cimex lectularius* L., 615
Antibody-heme-octapeptide conjugates, preparation of, 111
Aplysia, the sarcolemma of smooth muscle of, 241
Arachnida, ticks, *Ornithodoros*, spermiophores of, 411
Autoradiography, renewal of the gonads in *Styela clava* (Urochordata: Ascidiacea), as revealed by, 471
Axon terminals, of a new neurohaemal organ in the cockroach *Periplaneta americana*, autolysis in, 305

B

Basement membrane synthesis, and desomosomal structure, in the cornea of Amphibia, 603
Beads, of vertebrate Golgi complexes, 739
Botryllus schlosseri, ascidian tadpole, T-system in caudal muscle cells of, 101
Brain, of horseshoe crab (*Limulus polyphemus*), 395

C

Calpodes, cell remodelling in the fat body of, 73
Carotid body, rat, the effects of 6-hydroxydopamine on the appearance of granulated vesicles in glomus cells of, 381
Cell cultures, derived from early chick blastodiscs, 277
— remodelling, in the fat body of an insect, 73
Chick, duodenum, structure of the epithelial–mesenchymal interface during early morphogenesis of, 147
—, early blastodiscs of, cellular composition of erythropoietic cell populations and aggregate cell cultures derived from, 277
Ciliary structures, in the retinula cells of carabid beetles, 311
Ciliate, parasitic (*Terebrospira*), fine structure of, during ingestion of exoskeleton of a shrimp, 573
Climex lectularius, bed bug, antennal receptors of, 615
Collagen, in the dogfish egg case, 183
Comanthus japonica (Echinodermata: Crinoidea), fine structure of the embryo during the gastrula stage of, 491
Complexes, Golgi, vertebrate, have beads in a similar position to those found in Arthropods, 739
Conjugates, antibody-heme-octapeptide, preparation of: Localization of angiotensin converting enzyme (kininase II), 111
Cornea, vertebrate, quantitative and comparative ultrastructure of. I. Urodele amphibia, 591
—, —, — changes and ultrastructural alterations of, after exposure to ultraviolet light, II. Effects on Amphibia, 603
Cortex, kidney, freeze-fractured, tridimensional ultrastructure of, 369
Crustacea, *Daphnia pulex*, digestive system of, 479
—, shrimp, *Palaemonetes*, accessory eye of, 583
—, —, —, ingestion of exoskeleton of, by parasitic ciliate, 573

D

Daphnia pulex (Crustacea: Cladocera), digestive system of, 479
Denervation effects of, in analysis of fiber types in the pigeon's metapatagialis muscle, 259
Desmosomal structure, and basement membrane synthesis, in cornea of Amphibia, 603
Digestive system, of *Daphnia pulex*, the fine structure of, 479
—, —, electron microscopic study on gut epithelium of the tench (*Tinca tinca* L.) with respect to its absorptive functions, 511
— —, midgut of *Aedes aegypti*, 459
Dogfish, fine structure of the egg case of: A unique collagenous material, 183

Duodenum, chick, structure of, the epithelial-mesenchymal interface of, during early morphogenesis, 147
Dopa, 5-hydroxytryptamine and noradrenaline, selective uptake of, by the nervous system of *Phocanema decipiens* (Nematoda), 421

E

Ecdysone, and juvenile hormone, effects of, on epidermal cell development in *Hyalophora cecropia*, 649
Echinoderm, *Comanthus japonica*, fine structure of the embryo of, during the gastrula stage, 491
—, *Psammechinus miliaris*, the form of the globiferous pedicellarial ossicles of, 93
—, sea urchin, embryo, changes in glycerol solubility and amino acid incorporation of a protein possessing the characteristics of tubulin during first cleavage in, 209
Elasmobranch, dogfish, fine structure of egg case: A unique collagenous material 183
Electron microprobe, and ion microanalyzer, aluminium localization in amphibian skin, 175
Embedment, Spurr, improved retention of lipids in, 729
Embryo, gastrula stage, of *Comanthus japonica* (Echinodermata : Crinoidea), 491
—, sea urchin, protein possessing the characteristics of tubulin in, 209
—s, pig, ultrastructure of the indifferent gonad in male and female, 163
Epidermal cell, development during the pupal-adult metamorphosis of *Hyalophora cecropia*, 637
— —, —, effects of ecdysone and juvenile hormone on 649
Epidermis, of the optic tentacle in a slug *Limax flavus* L., fine structure of, 47
Epithelial cells, midgut, in male and female *Aedes aegypti*, morphometric comparison of, 459
Epithelial–mesenchymal interface, during early morphogenesis of the chick duodenum, 147
Epithelium, gut, of tench, electron microscopic study on, with respect to its absorptive functions, 511
Erythropoietic cell populations, and aggregate cell populations derived from early chick blastodiscs, cellular composition of, 277
Exoskeleton, of a shrimp, ingestion of by parasitic ciliate, *Terebrospira*, 573
Extraocular muscle, mouse, light and electron microscopic serial analysis of, 547
Eye, accessory, of the shrimp *Paleaemonetes*, light and dark adaptational changes in, 583
—, of Urodele amphibia, 591, 603
—s, of some carabid beetles, fine structure of, with particular reference to ciliary structures in the retinula cells, 311

F

Fat body, of an insect, cell remodeling in, 73
Fiber, component populations, of mouse extraocular muscle, 547
Fish, *Salmo gairdneri*, evolution of glycogen load of, 531
—, tench (*Tinca tinca*), gut epithelium of, 511
Freeze-fracture, preparations of *Aplysia* smooth muscle, 241

G

Galleria mellonella, the granular cells of, during clotting and phagocytic reactions *in vitro*, 437
Gastrula, of *Comanthus japonica* (Echinodermata : Crinoidea), fine structure of, 491
Gland, pedal, of gastropod mollusc *Buccinum undatum* L., an unusual type of secretory cell in, 217
—, posterior salivary, and duct, localization of monoamine nerve fibers in, 61
—s, postgonopodial, of *Glomeris marginata* Villers (Myriapoda), 293
Glomus cells, rat, granulated vesicles in, 381
Glucose-6-phophatase, evolution of, and glycogen load, of *Salmo gairdneri*, during development, 531
Glutaraldehyde fixation, the use of methyl free-pyronin staining after, 389
Glycogen load, evolution of, and glucose-6-phosphatase activity, of *Salmo gairdneri*, during development, 531
Golgi complexes, vertebrate, have beads in a similar position to those found in Arthropods, 739
Gonad, indifferent, in male and female pig embryos, ultrastructure of, 163
—s, renewal of, in *Styela clava* (Urochordata : Ascidiacea), as revealed by autoradiography with triated thymidine, 471
Granular cells, of *Galleria mellonella*, during clotting and phagocytic reactions, 437
Gut, of tench, electron microscopic study on, with respect to its absorptive functions, 511

H

High voltage electron microscopy, study of oral cavity of *Tetrahymena pyriformis*, 1
Hormone, juvenile, and ecdysone, effects of, on epidermal cell development in *Hyalophora cecropia*, 649
Hyalophora cecropia, effects of ecdysone and juvenile hormone on epidermis of, 649
— —, epidermal cell development of 637
5-Hydroxytryptamine, dopa and noradrenaline, selective uptake of, by the nervous system of *Phocanema decipiens* (Nematoda), 421
6-Hydroxydopamine, the effects of, on the appearance of granulated vesicles in glomus cells of the rat carotid body, 381

I

Immunocytochemistry, and immunoflourescence, localization of angiotensin converting enzyme (kininase II), 125
Immunoflourescence, and immunocytochemistry, of angiotensin converting enzyme, 125
Innervation, of mouse extraocular muscle, 547

Insect, *Aedes aegypti*, morphometric comparison of the midgut epithelial cells of, 459
—, *Calpodes ethlius*, fat body of, 73
—, carabid beetles, fine structure of eyes of, 311
—, cell remodeling in the fat body of, 73
—, *Cimex lectularius*, antennal receptors of, 615
—, *Galleria mellonella*, the granular cells of, during clotting and phagocytic reactions *in vitro*, 437
—, *Hyalophora*, epidermal cell, development, 637, 649
—, *Musca domestica*, mineralized concretions in the malpighian tubules of, 447
—, *Periplaneta americana*, new neurohaemal organ in, 305
—s, cockroaches, fine structure of the rectum in, general organization and intercellular junctions, 345
Intercellular junctions, fine structure of, in the rectum in cockroaches (Dictyoptera), 345

J

Junctions, intercellular, fine structure of, in the rectum of cockroaches (Dictyoptera), 345

K

Kidney, cortex, of rat freeze-fractured, tridimensional ultrastructure of (studied in stereo), 369
Kininase II, Localization of, by immunocytochemistry and 8mmunoflourescence, 125

L

Light and dark adaptational changes, in the accessory eye of the shrimp, *Palaemonetes*, 583
Limax flavus, fine structure of the epidermis of the optic tentacle in, 47
Limulus polyphemus, horseshoe crab, brain of, I, Neuroglia, 395
Lipid, retained and extracted, in lung multilamellar body laminations, 713
—s, improved retention of with vinylcyclohexane dioxide as a polar dehydrant, 729
Lung, mammalian, localization of angiotensin converting enzyme in, 111
—, —, multilamellar body laminations, the high resolution ultrastructure of the periodicity and architecture of lipid-retained and extracted, 713
—, —, — bodies, the three-dimensional aspect of, 693
Lytechinus, tubulin in first cleavage of, 209

M

Malpighian tubules, of the housefly, *Musca domestica*, fine structure and X-ray microanalysis of mineralized concretions in, 447
Mammalian, lung, the three-dimensional aspect of multilamellar bodies of, 693
Mesothelium, mouse peritoneal, a scanning electron microscope study of, 159
Metamorphosis, pupal-adult, of *Hyalophora cecropia*, 637
Methyl green-pyronin staining, use of, after glutaraldehyde fixation and paraffin or araldite embedding, 389
Midgut epithelial cells, morphometric comparison of, in male and female *Aedes aegypti* (Insecta, Diptera), 459
Mineralized concretions, in the malpighian tubules of the housefly, *Musca domestica*, fine structure and X-ray microanalysis of, 447
Mollusc, *Aplysia*, the sarcolemma of smooth muscle of, in freeze-fracture preparations, 241
—, *Buccinum undatum*, an unusual type of secretory cell in the ventral pedal gland of, 217
—, *Limax flavus*, optic tentacle, 47
—, *Octopus*, an unusual receptor in, 229
—, — *joubini*, olfactory organ of, 33
—, — *vulgaris*, monoamine nerve fibers in, 61
Monkey, lung multilamellar bodies in, 693, 713
Monoamine nerve fibers, localization of, in posterior salivary gland and duct of *Octopus vulgaris*, 61
Motility, of tick sperm, 411
Mouse, extraocular muscle, light and electron microscopic serial analysis of: Morphology, innervation and topographical organization of component fiber populations, 547
—, peritoneal mesothelium, A scanning electron microscopic study of, 159
Multilamellar bodies, of mammalian lung, laminations, lipid-retained and extracted, 713
— —, — — —, the three-dimensional aspect of, 693
Muscle, metapatagialis, of the pigeon, analysis of fiber types in. II. Effects of denervation, 259
—, caudal cells of *Botryllus schlosseri*, ascidian, T-system in, 101
—, mouse extraocular, serial analysis of: Morphology, innervation and topographical organization of component fiber populations, 547
—, smooth, of *Aplysia*, the sarcolemma of, in freeze-fracture preparations, 271
—s, skeletal, in the rat, morphology of regeneration of, 673
Myriapoda, *Gomeris marginata*, fine structure of postgonopodial glands of, 293

N

Nematoda, *Phocanema decipiens*, nervous system of, 421
Nervous system, an unusual receptor in the octopus, 229
— —, autolysis in axon terminals of a new neurohaemal organ in the cockroach *Periplaneta americana*, 305
— —, effects of denervation on pigeon muscle, 259
— —, nerve fibers, localization of monoamine, by fluorescence, histochemistry in the posterior salivary gland and duct of *Octopus vulgaris* L., 61
— —, selective uptake of noradrenaline, dopa and 5-hydroxytryptamine by the nervous system of *Phocanema decipiens* (Nematoda): A light autoradiographic and ultrastructural study, 421

— —, sensory, fine structure of antennal receptors, 615
— —, the brain of the horseshoe crab (*Limulus polyphemus*) I. Neuroglia, 395
— —, the fine structure of some carabid beetle eyes with particular reference to ciliary structures in the retinula cells, 311
Neuroglia, of horseshoe crab (*Limulus polyphemus*), 395
Neurohaemal organ, new, in the cockroach *Periplaneta americana*, 305
Noradrenaline, selective uptake of, in the nervous system of *Phocanema decipiens* (Nematoda), 421
Nycticebus coucang coucang, primate, slow loris, antecubital organ of, 335

O

Octopus, an unusual receptor in, 229
— *joubini*, observations on the olfactory organ of adult and juvenile, 33
— *vulgaris*, monoamine nerve fibers in posterior salivary gland and duct of, 61
Olfactory organ, of adult and juvenile *Octopus joubini*, observations on, 33
Onychophoran, *Peripatopsis capensis*, spermatozoon of, 659
Optic tentacle, in a slug *Limax flavus* L., fine structure of the epidermis of, 47
Organ, antecubital, of the primate slow loris (*Nycticebus coucang coucang*), 335
—, neurohaemal, in the cockroach *Periplaneta americana*, 305
—, olfactory, of adult and juvenile *Octopus joubini*, observations on, 33
Ornithodoros, ticks, spermiophores of, scanning and transmission electron microscopy of; An attempt to explain their motility, 411
Ossicles, globiferous pedicellarial, of the regular echinoid *Psammechinus miliaris*, 93

P

Palaemonetes, shrimp, accessory eye of, 583
Parasitic ciliate, fine structure of, during ingestion of the exoskeleton of a shrimp, 573
Pedicellarial ossicles, globiferous, the form of, in the regular echinoid *Psammechinus miliaris*, 93
Peripatopsis capensis, onychophoran, spermatozoon of, 659
Phagocytic reactions, the granular cells of *Galleria mellonella* during, 437
Phospholipids, saturated, ultrastructural alterations in *Tetrahymena pyriformis* induced by growth on, 19
Pig embryos, ultrastructure of the indifferent gonad in male and female, 163
Pigeon, metapatagialis muscle of, analysis of fiber types in, 259
Polar dehydrant, vinylcyclohexane dioxide, for the improved retention of lipids, 729
Postgonopodial glands, of *Glomeris marginata* (Myriapoda), fine structure of, 293
Preadipocytes, human, cultured *in vitro*, ultrastructural observations on, 561
Primate, slow loris *Nycticebus coucang coucang*, the antecubital organ of, 335
Protozoa, *Collozoum inerme*, ultrastructure of, 195
—, *Terebrospira*, ultrastructure of, 573
—, *Tetrahymena pyriformis*, reconstruction of the oral cavity of, utilizing high voltage electron microscopy, 1
—, — —, ultrastructural alterations in, induced by growth on saturated phospholipids at 40.1°C. 19
Psammechinus miliaris, echinoid, the form of the globiferous pedicellarial ossicles of, 93
Pupal-adult metamorphosis, of *Hyalophora cecropia*, epidermal cell development during, 637

Q

Quantitative and comparative ultrastructure, of the vertebrate cornea. I. Urodele amphibia, 591
Quantitative changes, and ultrastructural alterations of the cornea after exposure to ultraviolet light. II. Effects on amphibia, 603

R

Radiolarian, colonial, *Collozoum inerme*, ultrastructure of, and a cytochemical determination of the role of its zooxanthellae, 195
Rat, carotid body of, effects of 6-hydroxydopamine on the appearance of granulated vesicles in glomus cells of, 381
—, kidney cortex, tridimensional ultrastructure of, freeze-fractured, 369
—, lung multilamellar bodies in, 693, 713
—, morphology of regeneration of skeletal muscles in, 673
Receptors, antennal, of the bed bug *Cimex lectularius* L., fine structure of, 615
—, an unusual, in the octopus, 229
Rectum, of cockroaches, fine structure of intercellular junctions in, 345
Regeneration, of skeletal muscles in the rat, morphology of, 673
Reproductive system, fiber structure of the dogfish egg case: A unique collagenous material, 183
— —, of *Styela clava*, renewal of the gonads in, 471
— —, postgonopodial glands of *Glomeris marginata* (Myriapoda), 293
— —, spermatazoon of *Peripatopsis*, 659
— —, spermiophores of *Ornithodoros* ticks, 411
— —, ultrastructure of the indifferent gonad in male and female pig embryos, 163
Retinula, of carabid beetles, 311

S

Salivary gland, and duct, of *Octopus vulgaris*, localization of monoamine nerve fibers in, 61
Salmo gairdneri, evolution of glycogen load and of glucose-6-phosphatase activity of, 531
Sarcolemma, of *Aplysia* smooth muscle, the sarcolemma of, in freeze-fracture preparations, 241

Sarcotubular system, in the caudal muscle cells of *Botryllus schlosseri*, ascidian, 101
Secretory cell, an unusual type of, in the ventral pedal gland of the gastropod mollusc *Buccinum*, 217
SEM, of mouse peritoneal mesothelium, 159
Skeletal muscles, in the rat, the morphology of regeneration of, 673
Skin, amphibian, localization of aluminium in, with electron probe and ion microanalyzer, 175
Spermatozoon, of onychophoran, *Peripatopsis capensis*, 659
Spermiophores, *Ornithodoros* ticks, scanning and transmission electron microscopy of, an attempt to explain their motility, 411
Staining, methyl green-pyronin, after glutaraldehyde fixation and paraffin or araldite embedding, 389
Styela clava, (Urochordata: Ascidiacea), renewal of the gonads in, 471

T

Terebrospira, parasitic ciliate, fine structure of, 573
Tetrahymena pyriformis, reconstruction of oral cavity of, utilizing high voltage electron microscopy, 1
— —, ultrastructural alterations in, induced by growth on saturated phospholipids at 40·1 °C, 19
Tinca tinca, tench, gut epithelium of, 511
Tissue culture, of early chick blastodiscs, 277
— —, ultrastructural observations on differentiating human preadipocytes, 561
T-system, in ascidian muscle: Organization of the sarcotubular system in the caudal muscle cells of *Botryllus schlosseri* tadpole larvae. 101
Tubulin, changes in glycerol solubility and amino acid incorporation of a protein possessing the characteristics of, during first cleavage in the sea urchin embryo, 209

U

Urochordata, *Botryllus schlosseri*, T-system in caudal muscle of, 101
—, *Styela clava*, renewal of the gonads in, 471
UV Light, changes in the cornea of Amphibia, after exposure to, 603

V

Vinylcyclohexane dioxide, as a polar dehydrant, for the improved retention of lipids in the Spurr embedment, 729

X

Xiphosuran, horseshoe crab, (*Limulus polyphemus*), brain of, 395
X-ray microanalysis, and fine structure of mineralized concretions in the malpighian tubules of the housefly, *Musca domestica*, 447

Z

Zooxanthellae, role of, in colonial radiolarian *Collozoum inerme* 195